



JABO SUPPLY CORPORATION

JABO CAN ASSEMBLE ANY HOSE IN OUR 9,000 SQ FT HOSE SHOP

JACKHAMMER HOSE



Assembled using crimped steel fittings

Also note: equipped assemblies are rated at 100 PSI

Shipped in 50 ft. length cartons.

JACKHAMMER HOSE

JABO SUPPLY



5 LOCATIONS

PARKERSBURG, WV

10085 Emerson Avenue 26102
(304) 464-4400

MORGANFIELD, KY

118 Jim Veatch Road, 42437
(270) 389-3430

HUNTINGTON, WV

209 Braley Street, 25705
(304) 736-8333

NORTON, VA

205 Hawthorne Drive, 24273
(276) 679-1224

BEAVER, WV (BECKLEY)

227 C&O Shop Road 25813
(304-252-0000

SINCE 1964 SERVICE IS MORE THAN A PROMISE

JACKHAMMER HOSE

JACKHAMMER HOSE

HOSE ASSEMBLY		
JABO PART#	SIZE	WORKING PSI 68F/104F
034-15120	3/4"	300

**Non Stock - Call Jabo Supply*

JABO SUPPLY CAN MAKE OTHER SIZES

300 PSI Red Cover Jackhammer Hose Assemblies

General Applications:

- A durable quality hose to tackle the rugged application of jackhammer service

Construction:

- **Tube** – Black EPDM.
- **Reinforcement** – Spiral polyester yarn.
- **Cover** – Red abrasion and ozone resistant EPDM.

Service Temperature Range:

-40°F (-40°C) to +212°F (+100°C)

Features and Advantages:

- The cover and tube are made of EPDM to resist ozone, heat and cracking while in service.

Oil Resistance:

Class C - limited oil mist.

Branding:

DURA-JACK™ CRIMPED 300 3/4" MADE IN USA

Packaging:

50 ft. boxed length cartons.



50 ft. assembled lengths.

Please Note: Coupled assemblies are rated at 150 PSI.



Shipped in 50 ft. length cartons.



Assembled using crimped steel fittings.

Nominal Specifications

Part Number	Color	ID (in)	OD (in)	Working Pressure (psi)	Length (ft)	Weight (lbs/pc)
DJCR075X50ABX	Red	3/4	1.15	300	50	41

HOSE RATED AT 300PSI, FITTINGS RATED 150