



JABO SUPPLY CORPORATION

OIL & AIR HOSE



SEE BRASS PUSHON FITTINGS

OIL & AIR

JABO SUPPLY



5 LOCATIONS

PARKERSBURG, WV

10085 Emerson Avenue 26102
(304) 464-4400

MORGANFIELD, KY

118 Jim Veatch Road, 42437
(270) 389-3430

HUNTINGTON, WV

209 Braley Street, 25705
(304) 736-8333

NORTON, VA

205 Hawthorne Drive, 24273
(276) 679-1224

BEAVER, WV (BECKLEY)

227 C&O Shop Road 25813
(304-252-0000

SINCE 1964 SERVICE IS MORE THAN A PROMISE

OIL & AIR

INSTA GRIP 300 PUSH ON HOSE

300 PSI



JABO PART#	SIZE	WORKING PSI 68F/104F
*	3/16"	300
034-15190	1/4"	300
034-15194	3/8"	300
034-15198	1/2"	300
034-15200	5/8"	300
034-15201	3/4"	300
*Non Stock - Call Jabo Supply		

GENERAL APPLICATION

For use with push-on fittings at working pressures of 300 psi. For low-pressure hydraulic and pneumatic systems such as shop air systems, general industrial, maintenance and automotive assembly applications. Non-conductive, minimum electrical resistance, greater than one (1) megohm per inch of hose length at 1000 Volts DC. MSHA approved covers.

Construction:

Construction Tube: Chemivic™ oil and heat-resistant synthetic rubber, ARPM class A (high oil resistance) [Silicone is not used in the manufacturing of this hose.]

Service Temperature Range

-40°F to 210°F (-40°C to 99°C)



SEE PUSH ON FITTINGS IN HOSE FITTING/BRASS FITTINGS/PUSHON FITTINGS



