



JABO SUPPLY CORPORATION

WELDING HOSE



WELDING HOSE

JABO SUPPLY



5 LOCATIONS

PARKERSBURG, WV

10085 Emerson Avenue 26102
(304) 464-4400

MORGANFIELD, KY

118 Jim Veatch Road, 42437
(270) 389-3430

HUNTINGTON, WV

209 Braley Street, 25705
(304) 736-8333

NORTON, VA

205 Hawthorne Drive, 24273
(276) 679-1224

BEAVER, WV (BECKLEY)

227 C&O Shop Road 25813
(304-252-0000

SINCE 1964 SERVICE IS MORE THAN A PROMISE

WELDING HOSE

WELDING HOSE

200 PSI GRADE R		
JABO PART#	SIZE	WORKING PSI
*	3/16"X25'	200
*	3/16"X50'	200
034-15160	1/4"X25'	200
034-15180	1/4"X50'	200
*	5/16"X25'	200
*	5/16"X50'	200
*Non Stock - Call Jabo Supply		

General Applications:

- General welding service
- Meets RMA IP-7-2011

Construction:

- **Tube** – EPDM.
- **Reinforcement** – Spiral polyester yarns.
- **Cover** – Red and green EPDM (ACETYLENE USE ONLY).

Service Temperature Range:

-40°F (-40°C) to +180°F (+82°C)

200 PSI Grade R Twin Line Welding Hose - Coupled Assemblies



Redi-Weld™ Coupled Assemblies

Nominal Specifications

Part Number	Color	ID (in)	OD (in)	Working Pressure (psi)	Coil Length (ft)	Weight (lbs/pc)
REDI-WELD-03X25	Red / Grn	3/16	0.44	200	25	5.0
REDI-WELD-03X50	Red / Grn	3/16	0.44	200	50	8.8
REDI-WELD-04X25	Red / Grn	1/4	0.53	200	25	6.4
REDI-WELD-04X50	Red / Grn	1/4	0.53	200	50	12.1
REDI-WELD-05X25	Red / Grn	5/16	0.59	200	25	7.6
REDI-WELD-05X50	Red / Grn	5/16	0.59	200	50	14.0

Redi-Weld™ Bulk Hose on Reels

NEW

Nominal Specifications

Part Number	Color	ID (in)	OD (in)	Working Pressure (psi)	Reel Length (ft)	Weight (lbs/pc)
REDI-WELD-03X700	Red / Grn	3/16	0.44	200	700	105
REDI-WELD-04X700	Red / Grn	1/4	0.53	200	700	147